

## AMENDMENTS

### In the Claims:

Cancel claim 12. ✓

Amend claims 1, 2, 3, 4, 5, 6, 7, 13, 14, 15, 16, 18 and 21 to read as follows:

---

1. A complex fiber reinforcing material comprising a sheet-formed carbon fiber reinforcing material comprising a woven fabric or a stitch cloth of carbon fibers, and a non-woven fabric comprising short fibers including organic fibers, wherein the non-woven fabric is laminated onto at least one side of the carbon fiber reinforcing material and wherein the short fibers pass through the fiber reinforcing material to integrate the carbon fiber reinforcing material with the non-woven fabric.

C1  
2. A complex fiber reinforcing material comprising a sheet-formed carbon fiber reinforcing material comprising a woven fabric or a stitch cloth of carbon fibers, and a non-woven fabric including organic fibers laminated on at least one side of the carbon fiber reinforcing material, wherein the non-woven fabric is integrated with the fiber reinforcing material by a pressure sensitive adhesive.

3. A complex fiber reinforcing material comprising a sheet-formed carbon fiber reinforcing material comprising a woven fabric or a stitch cloth of carbon fibers, and a non-woven fabric including organic fibers laminated on at least one side of the carbon fiber reinforcing material, wherein the non-woven fabric contains 5 to 50% by weight of low-melting-point fibers, and the carbon fiber reinforcing material is integrated with the non-woven fabric by heat bonding.

---

C2

4. A complex fiber reinforcing material according to any one of Claims 1 to 3, wherein the side of the carbon fiber yarns of the carbon fiber reinforcing material is 550 to 270000 decitex, and the number of filaments per carbon fiber is 1000 to 400000.

C3

5. A complex fiber reinforcing material according to any one of Claims 1 to 3, wherein the carbon fibers of the carbon fiber reinforcing material have a yarn size of 550 to 23000 decitex.

C4

6. A complex fiber reinforcing material according to any one of Claims 1 to 3, wherein weight per unit are of the carbon fiber reinforcing material is 100 to 2000 g/m<sup>2</sup>.

C5

7. A complex fiber reinforcing material according to any one of Claims 1 to 3, wherein the carbon fiber reinforcing material comprises a woven fabric having a cover factor of 95% or more.

C6

13. A complex fiber reinforcing material according to any one of Claims 1 to 3, wherein the carbon fiber reinforcing material comprises a uni-directional woven fabric comprising carbon fibers yarns oriented in a length direction of the material, and auxiliary yarns thinner than the carbon fiber yarns and oriented in a width direction of the material, to form a woven structure.

C7

14. A complex fiber reinforcing material according to Claim 13, wherein the carbon fiber yarns are oriented in the length direction at intervals of 0.1 to 5 mm in uni-directional woven fabric.

C8

15. A complex fiber reinforcing material according to any one of Claims 1 to 3, wherein the carbon fiber reinforcing material comprises a bi-directional woven fabric comprising carbon

C8  
Cont

fiber yarns oriented in a length direction and a width direction of the material to form a woven structure.

C9

16. A complex fiber reinforcing material according to Claim 15, wherein the carbon fiber yarns of the bi-directional woven fabric, which are oriented in at least one of the length direction and the width direction, are flat carbon fiber yarns having a width in the range of 4 to 30 mm, and a thickness in the range of 0.1 to 1.0 mm.

C10

18. A complex fiber reinforcing material according to any one of Claims 1 to 3, wherein the carbon fibers have a tensile modulus of 200 Gpa or more, and a tensile strength of 4.5 Ga or more.

C11

21. A preform comprising a laminate of a plurality of the complex fiber reinforcing material according to any one of Claim 1 to 3, wherein the plurality of the complex fiber reinforcing material are laminated such that the carbon fiber reinforcing material and the non-woven fabric are located alternately.